

KOENIG & BAUER

MetJET ONE



we're on it.

Easiest Entry into Digital Metal Decorating

The MetJET ONE marks the start of digital metal decoration and revolutionises daily production with its simplicity, cost efficiency and flexibility.

The MetJET ONE combines the best of two worlds: the best inkjet technology and reliable sheet handling.

The sheet handling system, some of which was specially developed for the MetJET ONE, uses state-of-the-art Venturi technology and gripper systems for precise feeding and smooth transport of the sheets. In addition to the specific infeed and delivery system, standard sheet handling units for the metal industry are used to enable a fully modular line configuration – just like on analog production lines.

The printing unit powered by Durst offers outstanding quality and precision. Using a UV-LED ink system with a large colour gamut, strong adhesion and flexibility, high-resolution prints on metal with vivid colours and consistent print quality are possible.

Never before has it been possible to produce a wide variety of end products in short runs so efficiently and with such low scrap rates.




MetJET ONE – An Excellent Alternative

The MetJET ONE is specially tailored to the needs of modern metal decorating production and offers unique opportunities.



Speeds of up to 390 sheets/h and an application-specific design with high automation ensure minimum total costs of ownership



Extended color range by using light inks and the option of white ink



Outstanding print quality thanks to state-of-the-art Inkjet technology



Maximum availability, short set-up times and minimal waste, combined with UV-LED technology, ensure outstanding sustainability



Maximum flexibility in terms of configurations and equipment options – perfectly tailored to your individual requirements



Easiest operation thanks to simple machine design and intuitive HMI for digital printing



Product Application


Koenig & Bauer's reliable and precise sheet feed, coupled with the high-quality multi-pass printing unit, meet the highest quality requirements. The MetJET ONE is therefore ideally equipped for the production of a wide range of high-quality applications in the metal packaging market.

By using customised sheet handling and adapting the printing process to the conditions of the metal decoration, an almost unlimited production of digitally printed metal packaging is possible. It is therefore able to process a wide range of customer applications, such as

- Food cans
- Technical cans
- Fancy cans
- Barrels
- Crown caps
- Twist-off caps
- and many more

With the optional use of white ink and the integration of a MetalCoat inline coating machine, an entire production line can be created that enables a perfect entry into the world of digital printing and opens up new possibilities.






Digital PostPrint sheet handling

- Transfer of the printed sheets on three lanes and transport to three intermediate positions
- Direction change: accurate, synchronous delivery of three sheets on one lane to the following line components – the side edge becomes the front edge again
- No manually format adjustments needed
- Acceleration of the sheets to standard speed ensures free selection of downstream units



Inspection table (or hybrid use)

- Easy ejection of single sheets for visual inspection
- Alternatively: interface for second feeder and hybrid use of the line (dedicated use of downstream line units without digital printing – particularly if MetalCoat is installed)




Conveyors (and other opt. features)

- Wide belt conveyors for inline inspection
- Inline quality control ensures reliable production
- Alternatively: MetalCoat and other units suitable for customised tuning of the line to the requirements of production




Stacker 806

- Single-, double- or triple-box design as the best prerequisite for quick and frequent job changes
- MagStack or VacStack versions for tinplate or aluminium
- Smooth, quiet and damage-free stacking ensures that every sheet in the stack is usable
- Roller conveyor-supported unloading guarantees convenient operation



MetJET ONE



Modular logistics

- Roller conveyor systems and turntable for customised pallet loading from several directions
- Easy and fast changes of pallets
- Alternative pallet loading and unloading via chain conveyors available
- Best access to the line with forklifts



High-performance feeder 780

- Market-proven and widely used feeder
- Specific upgrade packages for aluminium and scroll sheets
- Electronic synchronisation to the printing line
- Robust and durable design including double sheet control and ejection
- Simple operation thanks to local control panels and operator relief tools such as laser assisted pile centering and motorised adjustment of the pile carrier



Digital PrePrint sheet handling

- Single sheet stream coming from the feeder is precisely aligned at three intermediate positions using venturi transport systems
- Gripper closure on the (still) front edge
- Direction change: accurate, synchronous infeed of three sheets into the printing unit – the front edge becomes the side edge
- For maximum alignment accuracy, the sheets are in the gripper lock until controlled transfer to the throughfeed of the printing unit



High-performance printing unit

- High quality multi-pass UV-LED Inkjet system
- Integrated UV-LED curing
- CMYK + Light Cyan + Light Magenta + optional Spot White
- Maximum resolution of 900 x 1200 dpi
- Performance of up to 390 sheets/hour
- Integrated safety system to safeguard the print heads
- Operators cockpit for easy and intuitive operation of the printing unit

Logistics

- Roller conveyors for pile transport
- Gear driven roller conveyors for pile moving of slippery metal sheets
- Chain conveyor for side loading and unloading of piles for feeder or stacker
- Turntable for the safe rotation of piles



Stacker

- Single stacking
- Double stacking for uninterrupted production or separation of waste sheets
- Triple stacks for uninterrupted production and separation of waste sheets
- Available as magnetic overhead (MagStack) or vacuum overhead version (VacStack)





Inline coating

- MetalCoat 470 with 3-roller coating unit
- MetalCoat 480 with anilox coating unit
- MetalCoat 483 with 3-roller coating unit and high automation



Sheet Management System

- Secure sheet removal
- Optionally with sheet reinsertion
- Optionally with waste ejection
- Optionally with sheet reinsertion and waste ejection



Pile turner

- Inline pile turner for safe and automatic turning of piles



Inspection transport

- Conveyors prepared for the installation of inspection systems



Sheet transport

- Conveyors for bridging heights
- Flow out conveyors for coated sheets



Drying

- UV dryer
- Energy saving LED Drying with MetalCure LED
- Conventional thermal drying oven

Matching Design for the Right Digital Entry

Rediscover the individuality of an analog production line. The MetJET ONE is equally modular and therefore ideally suited for a wide range of products and applications in short runs. Tailored precisely to your requirements.



Technical Data


Sheet format				
Maximum	1000 x 1200	mm	39.37 x 47.24	inch
Minimum	510 x 710	mm	20.08 x 27.95	inch
Thickness ¹	0.12 – 0.50 for tinplate	mm	0.0047 – 0.0197 for tinplate	inch
	0.12 – 0.50 for aluminium	mm	0.0047 – 0.0197 for aluminium	inch
Sheet material				
(optional)	Tinplate and ECCS (TFS) complying with EN 10202 ³			
	Aluminium complying with EN 541 ³			
Sheet cut				
(optional)	Straight			
	Scroll			
Resolution				
Maximum	900 x 1200 dpi			
Production speed ²				
	up to 390 sheets/h			
Feeder pile				
Maximum weight	3500	kg	7716.18	lbs
Operating environment				
Electric power supply	3 x 400 V +/-5 %, 50 Hz			
(optional)	Other voltage and/or frequency on request			
Compressed air	6 bar			
Relative humidity	45 – 60 %			
Ambient temperature	Max. 35 °C			
(optional)	Max. 40 °C with cabinet climate control			
Installation altitude	Max. 1000 m above sea level			
(optional)	Above 1000 m sea level on request			
Remote maintenance				
	via internet connection			

¹ Printability is also influenced decisively by the flexural rigidity and the flatness of the substrate.
² Depending on quality, format and thickness of sheets, inks, etc. as well as colour setting specification.
³ Stricter tolerances apply for flatness: max. 1.5 mm

Professional Services for Your Koenig & Bauer MetalPrint Products

We are at your service! Our experts provide assistance and support to your production lines. All over the world and over the full service life.

Time & productivity gains	Only original	Taylored partnership
24/7 Support	Spare Parts	Service Contracts
Stay up-to-date	Preventing unplanned downtime	Optimised production
Upgrades	Preventive Maintenance	Training & Consulting



Koenig & Bauer MetalPrint GmbH

Wernerstr. 119-129
70435 Stuttgart, Germany

T +49 711 699 71-0
F +49 711 699 71-670
info-metalprint@koenig-bauer.com

metalprint.koenig-bauer.com



www.tuvsud.com/ms-zert

Any part of the text or images may only be used with the permission of Koenig & Bauer MetalPrint GmbH. Images may depict special configurations that are not included in the basic price of the press. Some of the described features/special options are only available for the MetJET ONE. The manufacturer reserves the right to make technical changes and modifications to the construction.